



Made in Germany

**MOTOR
GOLD**



Produktübersicht

Product Overview



PKW Motorenöle

Passenger Car Motor Oils



Produkt Product	ACEA / API	Freigaben Approvals	Spezifikationen* / Anwendungsempfehlungen** / Entspricht Specifications* / Recommended use** / Level
MOTOR GOLD® Extratec SAE 0W-20	ACEA A3/B3-08, ACEA A3/B4-08, API SN		ILSAC GF-5
MOTOR GOLD® Extratec SAE 5W-20	ACEA A3/B3-08, ACEA A3/B4-08, API SN		ILSAC GF-5
MOTOR GOLD® Extratec SAE 5W-30	ACEA A3/B3-08, ACEA A3/B4-08, API SN		ILSAC GF-5, GM dexos™ 1
MOTOR GOLD® Hightec SAE 0W-40	ACEA A3/B4, API SN		MB 229.5, MB 229.3, VW 502 00 / 505 00, BMW Longlife-01, Porsche A40, Renault RN 0700 / RN 0710
MOTOR GOLD® Forline Plus SAE 5W-20	ACEA A1/B1, API SN/CF		WSS-M2C948-B
MOTOR GOLD® Forline SAE 5W-30	ACEA A1/B1, ACEA A5/B5, API SL		Ford WSS-M2C913-D, (rückwärtskompatibel zu 913-C/-B/-A), (backwards compatible with 913-C/-B/-A)
MOTOR GOLD® Mid Saps Special C2/C3 SAE 5W-30	ACEA C2, ACEA C3, API SN	MB-Freigabe 229.52 (rückwärtskompatibel zu 229.51 & 229.31) (backwards compatible to 229.51 & 229.31)	
MOTOR GOLD® Mid Saps Special C4 SAE 5W-30	ACEA C4		Renault RN 0720, MB 229.51, MB 226.51
MOTOR GOLD® Longlife III SAE 5W-30	ACEA C3, ACEA A3/B4-04	MB-Freigabe 229.51	VW 504 00 / 507 00, BMW Longlife-04, Porsche C30
MOTOR GOLD® Mid Saps SAE 5W-30	ACEA C3, ACEA A3/B4-04, API SN, API CF	MB-Freigabe 229.51	MB 229.31, BMW Longlife-04, GM dexos™ 2
MOTOR GOLD® Mid Saps PD SAE 5W-40	ACEA C3, ACEA A3/B4-04, API SN, API CF	MB-Freigabe 229.31	MB 226.5, VW 502 00 / 505 01, BMW Longlife-04, Porsche A40, GM dexos™ 2, Renault RN 0700, RN 0710, Ford WSS-M2C 917-A (VW-Motor)
MOTOR GOLD® Supertec SAE 5W-40	ACEA A3/B4, ACEA A3/B3-10, API SN, API CF	MB-Freigabe 229.3	VW 502 00 / 505 00, Porsche A40, Renault RN 0700 / RN 0710, GM-LL-A/B-025 (level), BMW Longlife-01 (level), JASO MA2 (level)
MOTOR GOLD® Ecotec SAE 10W-40	ACEA A3/B4, ACEA A3/B3-10, API SN, API CF	MB-Freigabe 229.1	VW 501 01 / 505 00 (level)
MOTOR GOLD® Superior SN SAE 10W-40	ACEA A3/B4, ACEA A3/B3-10, API SN, API CF	MB-Freigabe 229.3	VW 502 00 / 505 00, Renault RN 0700 / RN 0710, JASO MA2 (level)

LKW Motorenöle

Heavy Duty Diesel Engine Oils



Produkt Product	ACEA / API	Freigaben Approvals	Spezifikationen* / Anwendungsempfehlungen** / Entspricht Specifications* / Recommended use** / Level
MOTOR GOLD® Lighttec Premium SAE 5W-30	ACEA E6, ACEA E7, ACEA E9, API CJ-4, API SN		JASO DH-2, MB 228.51, MB 228.31, MAN M 3677, M 3477, M 3271-1, MTU Type 3.1, Volvo VDS-4, VDS-3, Renault VI, RLD-3 (RLD-2, RXD, RGD), Mack EO-O PP-07, EO-N PP, EO-M Plus, Cummins CES 20081, Caterpillar ECF-3 (ECF-2, ECF-1-a), Deutz DQC IV-10 LA, Detroit Diesel DDC 93K218, Voith Retarder Class B
MOTOR GOLD® Lighttec SAE 10W-40	ACEA E6, ACEA E7, API CI-4	MB-Freigabe 228.51	Volvo VDS-3, MAN M 3477, M 3271-1, MTU Type 3.1, Renault VI, RLD-2, RXD, RGD, Deutz DQC III-10 LA, Cummins CES 20076/77, MACK EO-N, DAF (where E6 is called for)
MOTOR GOLD® Performance Truck Premium SAE 5W-30	ACEA E7, ACEA E4, API CI-4		JASO DH-1, Global DH-1, MB 228.5, Volvo VDS-3, MAN M 3377, M 3277, MTU Type 3, Mack EO-N, EO-M Plus, Renault Trucks, RLD-2, RXD, Cummins CES 20076/78, Caterpillar ECF-2, Deutz DQC IV-10
MOTOR GOLD® Performance Truck SAE 10W-40	ACEA E7, ACEA E4, API CI-4	MB-Freigabe 228.5, Volvo VDS-3, Renault VI RLD-2, Mack EO-N, Deutz DQC III-10	Scania LDF-2, MAN M 3277, MTU Type 3, Renault Trucks RXD, Cummins CES 20077/78, DAF Extended Drain
MOTOR GOLD® Lightrun 2000 SAE 10W-40	ACEA E7, ACEA A3/B4, ACEA A3/B3, API CI-4	MB-Freigabe 228.3, MB-Freigabe 229.1	JASO DH-1, Global DHD-1, MB 235.27, MAN M 3275-1, Volvo VDS-3, MTU Type 2, Renault VI RLD-2, Cummins CES 20077/78, Mack-EO-N, Mack-EO-M Plus, Detroit Diesel DDC 93K215, Deutz DQC III-10, Voith A, Allison C4
MOTOR GOLD® Power Truck SAE 10W-40	ACEA E9, API CJ-4, API SN		Volvo VDS-4, MB 228.31, MAN M 3575, Deutz DQC III-10 LA, MTU Type 2.1, MACK EO-O Premium Plus, Renault RLD-3, Cummins CES 20081, Detroit Diesel DDC 93K218, Caterpillar ECF-3, ECF-2, ECF-1-a
MOTOR GOLD® Power Truck SAE 15W-40	ACEA E9, API CJ-4, API SN		Volvo VDS-4, MB 228.31, MAN M 3575, Deutz DQC III-10 LA, MTU Type 2.1, MACK EO-O Premium Plus, Renault VI RLD-3, Cummins CES 20081, Detroit Diesel DDC 93K218, Caterpillar ECF-3, ECF-2, ECF-1-a
MOTOR GOLD® Turbotec SAE 15W-40	ACEA E7, API CI-4, API CF, API SL	MB-Freigabe 228.3, MB-Freigabe 229.1, MAN M 3275-1, Deutz DQC III-10, Volvo VDS-3, Renault VI RLD-2, Mack EO-N	JASO DH-1, Global DHD-1, Cummins CES 20076/77/78, MTU Type 2, DDC 93K215, Allison C4 (level), Caterpillar ECF 1a, ECF 2
MOTOR GOLD® Turbotec SAE 20W-50			ACEA E7, API CI-4, JASO DH-1, MB 228.3, MAN 3275-1, Volvo VDS-2, Cummins CES 20076/77/78, Deutz DQC III-10, Detroit Diesel DDC 93K215
MOTOR GOLD® Normtec SAE 15W-40	ACEA A3/B4-04#2, ACEA A3/B3-04#2, ACEA E2-96#5, API SJ, API CF-4, API CF		MB 228.1, MB 229.1, MAN 270, MAN 271, Volvo VDS
MOTOR GOLD® Normtec SAE 20W-50			API SJ, ACEA A3/B4-04#2, ACEA A3/B3-04#2, ACEA E2-96#5 (level), API CF-4, API CF
MOTOR GOLD® Dolbytec SAE 15W-40	API SF, API CD		
MOTOR GOLD® Dolbytec SAE 20W-50	API SF, API CD		

Getriebeöle

Gear Oils



Produkt Product	ACEA / API	Freigaben Approvals	Spezifikationen* / Anwendungsempfehlungen** / Entspricht Specifications* / Recommended use** / Level
MOTOR GOLD® Fluitec ATF 6000			DEXRON® VI
MOTOR GOLD® Fluitec ATF ASIA			DEXRON® III-H, II-D, GM Motors Type A Suffix A (TASA), MERCON®, Allison C-4 (level), Toyota Typ T, T-II, T-III, T-IV, Typ D-2, JASO M 315 Type 1A, Nissan Matic Fluid C, D, J, Mitsubishi SP-II, SP-III, Daihatsu Alumix ATF Multi, Suzuki ATF Oil, ATF Oil Special, Mazda ATF D-III, ATF M-3, Subaru ATF, Isuzu Besco ATF-II, ATF-III, Hyundai, Kia, suitable for use: Toyota ATF WS
MOTOR GOLD® Fluitec ATF 3000		MB-Freigabe 236.1 MAN 339 Type Z-1, V-1	DEXRON® III-H, III-G, II-E, II-D, GM Motors Type A Suffix A (TASA), ZF TE-ML 02F, 03D, 04D, 09B, 11B, 14A, 17C, MB 236.5, Allison C-4 (level), Caterpillar TO-2 (level), Voith 55.6335.xx, Volvo 97341, Allison TES-389, MERCON®
MOTOR GOLD® Fluitec TYP P/CN			DEXRON® II-D, GM Motors Type A Suffix A (TASA), ZF TE-ML 02F, 03D, 04D, 09B, 11B, 14A, 17C, MB 236.1, MB 236.5, Allison C-4 (level), Caterpillar TO-2 (level), MAN 339 Type Z-1, V-1, Voith 55.6335.xx, MERCON®
MOTOR GOLD® Fluitec ATF 43 A			GM Motors Type A Suffix A (TASA)
MOTOR GOLD® Geartec, GL 4/GL 5 SAE 75W-90	API GL 4, API GL 5, API MT-1		Scania STO 1:0, MAN 341 Type E-3, Z-2, MAN 342 Type M-3, MAN M 3343 Type S, MB 235.8, DAF/IVECO (MIL-PRF-2105E), MACK GO-J, SAE J2360, Renault (B0032/2 annex 3), ZF TE-ML 02B, 05B, 07A, 12B, 16F, 17B, 19C, 21B
MOTOR GOLD® Geartec GL 4/GL 5 SAE 80W-90	API GL 4, API GL 5		Scania STO 1:0, MAN 341 Type E-2, Z-2, MAN 342 Type M-2, MAN M 3343 Type M, MB 235.0, DAF/IVECO (MIL-PRF-2105E), MACK GO-J, SAE J2360, ZF TE-ML 02B, 05A, 07A, 08, 12L, 12M, 16B/C/D, 17B, 19B, 21A
MOTOR GOLD® Multigrade Hypoid Geartec GL 5 SAE 75W-90	API GL 5		
MOTOR GOLD® Multipurpose Geartec GL 4 SAE 75W-90	API GL 4		
MOTOR GOLD® Multigrade Hypoid Geartec GL 5 SAE 80W-90	API GL 5		ZF TE-ML 16B, 17B, 19B, 21A, MAN 342 Typ M1
MOTOR GOLD® Multipurpose Geartec GL 4 SAE 80W-90	API GL 4		ZF TE-ML 16A, 17A, 19A, MAN 341 Typ E1, MAN 341 Typ Z2

Spezialschmierstoffe

Specialty Lubricants



Produkt Product	ACEA / API	Freigaben Approvals	Spezifikationen* / Anwendungsempfehlungen** / Entspricht Specifications* / Recommended use** / Level
MOTOR GOLD® Twotec Speed	API TC, API TB		Piaggio SI, Husqvarna, ISO-L-EGD, JASO-FC, TISI Bis zu 1:100 mischbar, <i>Mixing ratio up to 1:100</i>
MOTOR GOLD® Twotec Universal	API TC, API TB, API TA		Bis zu 1:50 mischbar, <i>Mixing ratio up to 1:50</i>
MOTOR GOLD® Marinetec OMC			NMMA TC-W II (level), NMMA TC-W3 Bis zu 1:50 mischbar, <i>Mixing ratio up to 1:50</i>
MOTOR GOLD® Rasenmäheröl SAE 30			
MOTOR GOLD® Super Tractor Oil Universal STOU SAE 10W-30	ACEA E2-96#5 (level), ACEA E3-96#3 (level), API CG-4 / CF-4 / CF / CE / CD, API SF, API GL 4		STOU: ZF TE-ML 03A, 05K, 06B, 06C, 07B, 07D, Massey Ferguson M1145, M1144, M1139, Ford M2C159 B/C, New Holland NH030C, 82009201, John Deere J27 UTTO: Massey Ferguson M1135, John Deere J20C, Ford M2C86B, M2C134D, New Holland NH410B, Caterpillar TO-2 (level), Allison C4 (level) Hydraulik: Sperry Vickers/Eaton M29505, I-280-S, Sauer/Sunstrand/Danfoss: Hydrostatic Trans Fluid
MOTOR GOLD® Super Tractor Oil Universal STOU SAE 10W-40	ACEA E2-96#5 (level), ACEA E3-96#3 (level), API CG-4 / CF-4 / CF / CE / CD, API SF, API GL 4		STOU: ZF TE-ML 03A, 05K, 06B, 06C, 07B, 07D, Massey Ferguson M1145, M1144 UTTO: New Holland NH410B, Allison C4 (level), Caterpillar TO-2 (level) Hydraulik: Sperry Vickers/Eaton M29505, I-280-S, Sauer Sunstrand/Danfoss: Hydrostatic Trans Fluid
MOTOR GOLD® Super Tractor Oil Universal STOU SAE 15W-30	ACEA E2-96#5 (level), ACEA E3-96#3 (level), API CG-4 / CF-4 / CF / CE / CD, API SF, API GL 4		STOU: ZF TE-ML 06B, 06C, 07B, 07D, Massey Ferguson M1145, M1144, M1139, Ford M2C159 B/C, New Holland 82009202, John Deere J27 UTTO: Massey Ferguson M1135, Ford M2C134A, New Holland NH410A, Allison C-4 (level), Caterpillar TO-2 (level) Hydraulik: Sperry Vickers/Eaton M29505, I-280-S, Sauer Sunstrand/Danfoss: Hydrostatic Trans Fluid
MOTOR GOLD® UTTO SAE 10W-30	API GL 4		ZF TE-ML 03E, 05F, 06K, 17E, AGCO Powerfluid 821XL, AGCO Q-186 (Whitefarm), CNH MAT 3505 (MS1209), MS1207, CNH MAT 3506 (MS1210), CNH MAT 3509 (MS1230), CNH MAT 3525 (FNHA-201.00 = M2C 134D), CNH MAT 3526 (FNHA 2-C-200.00), CNH MAT 3510 (MS1317 = GL-4), Ford ESN M2C 86B/C, John Deere JDM, J20C, J20D, Deutz-Fahr, Massey Ferguson CMS M1145, M1143, Massey Ferguson CMS M1141, M1135, Kubota UDT, Komatsu, Landini, Claas/Renault (Renault Transmissions), Same (Same Transmissions), Allison C-4 (level)


** Wenn folgende Füllvorschriften gefordert werden, wird der Einsatz dieses Produktes empfohlen / If the following manufactures fluid specification are claimed, the use of this product is recommended

Immer aktuell!

Always up to date!



- **Alle Produktdetails** *All product details*
- **Alle Kontakte & Ansprechpartner** *All contacts*
- **Großer Downloadbereich** *Large download area*
- **Sicherheitsdatenblätter & Produktinformationen** *MSDS & product information*



**Für alle
Endgeräte
optimiert!**
*Optimized for all
devices!*



www.motorgold.de

Ihr MOTOR GOLD® Partner: / Your MOTOR GOLD® partner:

AVISTA OIL Refining & Trading Deutschland GmbH
Bahnhofstraße 82 ♦ 31311 Uetze-Dollbergen
info@avista-oil.de ♦ Tel.: +49 (0) 5177-85-113
www.avista-oil.de ♦ www.motorgold.de